

## **ATTACHMENT B**

### **Amendments to the Claims**

*This listing of claims will replace all prior versions, and listings, of claims in the application.*

1. (Currently Amended) A cellular telephone comprising:  
a first transceiver for establishing cellular telephone calls;  
a second transceiver for establishing a local voice channel;  
a mixer for combining voice corresponding to the cellular telephone call with voice on the local voice channel to create a multiparty conference call,  
a menu identifying compatible devices within range of said second transceiver;  
and  
a menu driven interface driven by said menu for controlling establishment of voice channels by said second transceiver;  
identification codes for said compatible devices being preprogrammed into the cellular telephone so as to enable a name of a person to be associated with each said compatible device.
2. (Original) The cellular telephone of claim 1 and further comprising an input device for selecting transceivers and identifying parties.
3. (Original) The cellular telephone of claim 1 wherein the second transceiver implements a wireless communication protocol to establish a local voice channel.
- 4.-5. (Cancelled)
6. (Original) The cellular telephone of claim 1 wherein the second transceiver automatically identifies other compatible transceivers within range for potential voice channel establishment.
7. (Cancelled)

8. (Original) The cellular telephone of claim 1 wherein the second transceiver receives requests from other devices to establish a voice channel.

9. (Original) The cellular telephone of claim 1 wherein the voice channel is established with device having a compatible transceiver, wherein the device is selected from the group consisting of cellular telephones, two way radios, personal digital assistants, internet appliances and computer systems.

10. (Original) The cellular telephone of claim 1 wherein the mixer comprises executing software.

11. (Currently Amended) A method of conferencing a third party into a cellular telephone call taking place using a first transceiver, the method comprising:

identifying using a second transceiver in the cellular phone to broadcast a request for compatible third party devices within a desired local area to identify themselves;

generating a list of the third party devices responding to the request;

selecting of at least one third party device from the list;

establishing a voice channel with the at least one third party device selected, via the second transceiver in the cellular phone that is a party to the cellular telephone call;

mixing voice from the voice channel and the cellular telephone call to establish a multiparty conference call; and

using a menu driven interface, driven by a menu comprising the list identifying compatible devices within range of said second transceiver, in controlling establishing of voice channels.

12. (Currently Amended) The method of claim 11 and further comprising establishing further voice channels with further third parties, and mixing voice from the multiple voice channels.

13. (Currently Amended) The method of claim 11 wherein the at least one third party device is invited to establish a voice channel prior to its establishment.

14. (Currently Amended) The method of claim 13 wherein the voice channel is established after acceptance by the at least one third party device.

15. (Original) The method of claim 11 wherein the cellular phone is invited to establish the voice channel with the third party device.

16. (Original) The method of claim 11 and further comprising detecting third party devices within range of the second transceiver.

17. (Cancelled)

18. (Currently Amended) A method of creating a multiparty conference call using a cellular phone including a local area receiver, the method comprising:

identifying a third party device within a desired local area based on a menu identifying compatible third party devices within range of the local area receiver, and based on identification codes preprogrammed into the cellular phone so as to enable a name of a person to be associated with each compatible third party device;

establishing a voice channel with the third party device via athe local area transceiver in athe cellular phone that is a party to a cellular telephone call; and

mixing voice from the voice channel and the cellular telephone call to establish a multiparty conference call; and

controlling the establishing of further voice channels using a menu driven interface driven by athe menu identifying compatible third party devices within range of the local area transceiver.

19.-21. (Cancelled)

22. (Original) The method of claim 18 wherein the cellular phone is invited to establish the voice channel with the third party device.
23. (Original) The method of claim 18 and further comprising detecting third party devices within range of the second transceiver.
24. (Cancelled)
25. (Currently Amended) An apparatus, comprising:  
a housing;  
means, disposed within said housing, for communicating with a first device via a cellular communications network;  
means, disposed within the said housing, for communicating with a second device via a local communications link;  
~~combined~~combining means, disposed within said housing, for combining communications with the first and second devices wherein a user of the first device is capable of communicating with a user of the second device;  
a microphone coupled to said combining means; and  
a speaker coupled to said combining means such that sound generated at the microphone is not played at the speaker.
26. (Currently Amended) An apparatus as claimed in claim 225, said means for communicating with a first device via a cellular communications network comprising a cellular telephone transceiver circuit structure.
27. (Original) An apparatus as claimed in claim 25, said means for combining communications with the first and second devices comprising a mixer circuit structure.
28. (Original) An apparatus as claimed in claim 25, said means for combining communications with the first and second devices comprising a mixer circuit structure.

29.-31. (Cancelled)

32. (Currently Amended) The cellular telephone of claim ~~34~~1 further comprising a function enabling entry of a code for each person.

33. (Previously Presented) The cellular telephone of claim 1 wherein the menu includes a list of potential callers to be added to the conference call.

34. (Previously Presented) The cellular telephone of claim 33 further comprising a function for selecting desired callers from said list.

35. (Previously Presented) The cellular telephone of claim 1 further comprising a microphone and speaker coupled to said mixer such that sound generated at the microphone is not played at the speaker.

36. (Previously Presented) An apparatus as claimed in claim 25 further comprising:  
a menu identifying compatible devices within range of said second transceiver;  
and  
a menu driven interface driven by said menu for controlling establishment of voice channels.

37. (Currently Amended) The ~~cellular telephone~~apparatus of claim 36 wherein the apparatus comprises a cellular telephone and identification codes for said compatible devices are preprogrammed into the cellular telephone so as to enable a name of a person to be associated with each said compatible device.

38. (Currently Amended) The ~~cellular telephone~~apparatus of claim 37 further comprising a function enabling entry of a code for each person.

39. (Currently Amended) The ~~cellular telephone~~apparatus of claim 36 wherein the menu includes a list of potential callers to be added to the conference call.

40. (Currently Amended) The ~~cellular telephone~~apparatus of claim 39 further comprising a function for selecting desired callers from said list.